



# U.S. Avionics Retail Product & Price Catalog

October 2017



All stated specifications are subject to change without notice or obligation.  
All Icom radios meet or exceed FCC regulations limiting spurious emissions.  
© 2017 Icom America Inc. The Icom logo is a registered trademark of Icom Inc.  
The IDAS™ name and logo are trademarks of Icom Inc. All other trademarks remain  
the property of their respective owners.

**Icom America Inc.**

# Contents

Handhelds .....	4
A14 .....	5
A24 / A6 .....	8
A25 .....	11
Mobiles / Panel Mounts.....	13
A120 .....	14
A220 .....	17
Fixed Comms Infrastructure.....	19
VE-PG3.....	20
X-BAND Air Repeater.....	22

# Handhelds



# A14

## VHF Air Band Transceiver

### SPECS

---

Frequencies:

Tx (COM)	118.000-136.975MHz
Rx (COM,NAV)	108.000-136.975MHz
(Weather)	161.650-163.275MHz

Output Power: 5.0/1.5W typ. (PEP/CW)

Channels: 200

Channel Spacing: 25kHz

Display: 8 character alphanumeric

Mode: AM (6K00A3E)

FM (16K0G3E)

Mil Spec: MIL 810 C,D,E,F

Waterproof Rating: IPX4 splash proof

Weight: 12.3 oz (with BP232H)



### FEATURES

---

Made with the student pilot in mind

700mW loud audio

Compact, light weight and rugged body

Large capacity Lithium-Ion battery pack

Side tone function allows you to hear your own voice via a third party aviation headset

LCD backlight for night time operation

ANL (Auto Noise Limiter) for noise reduction

Low battery indication and beep alert

Adjustable microphone gain setting

BNC type antenna connector

Slide tone

Tag scanning

NOAA marine weather channels

### COMES WITH

---

Battery (BP232H)

Charger (BC160)

AC adapter (BC123SA)

Belt clip (MB94)

Antenna (FAB02AR)

Handstrap

Owner's manual

Warranty: 3-Year



# A14

## VHF Air Band Transceiver

### Configurations

Model	Description	MSRP
A14	Communications only airband handheld with full DTMF keypad	\$405.00

### Accessories

Model	Description	MSRP
<b>Antennas</b>		
ANT SB	Avionic switchbox	\$115.00
FAB02AR	Standard antenna for Aviation handheld radios	\$37.00
<b>Batteries</b>		
BP232H	Li-ion 7.4V 2300mAh (typical capacity), 2250mAh (minimum value)	\$75.00
BP261	Battery case that holds 6 AA alkaline batteries	\$73.00
<b>Belt Clips</b>		
MB93	Swivel belt clip	\$11.00
MB94	Alligator belt clip	\$10.50
MB94R	Alligator belt clip with long clip that angles the antenna/top of radio off the body	\$18.00
MB96F	Leather belt hanger. Use with standard belt clip.	\$35.00
MB96N	Swivel belt hanger. Use with standard belt clip.	\$37.00
<b>Cables</b>		
OPC515L	DC power cable for single unit rapid chargers	\$26.00
OPC656	DC power cable for BC121N or BC197 gang chargers	\$12.00
<b>Chargers</b>		
AD106	Adapter cup for the BC119N/BC121N for the radios with the BP232N/H battery	\$28.00
AD122	Adapter cup that fits into the BC197 22/23 for the BP232N/H batteries	\$23.00
BC123SE	AC adapter for rapid chargers; 100-240V with Euro style plug	\$26.00
BC145SA 31	AC adapter for BC119N; 100-240V with US style plug	\$25.00
BC147SA	AC adapter for trickle chargers; 100-240V with a US style plug	\$15.00
BC147SE 15	AC adapter for trickle chargers; 230V with a Euro style plug	\$16.00
BC157S	AC adapter for the BC121N/BC197 chargers; 100-240V with US style plug	\$120.00
BC157SE	AC adapter for the BC121N/BC197 chargers; 100-240V with Euro style plug	\$126.00
BC160	Rapid charger for radios with the BP230/231/232 battery; 100-240V with a US style plug	\$67.00
BC160E	Rapid charger for radios with the BP230/231/232 battery; 100-240V with a Euro style plug	\$67.00
BC197 22	Six unit charger for radios with the BP232N/H Li-Ion battery (includes AC adapter and cups installed); 100-240V with US style plug	\$510.00
BC197 23	Six unit charger for radios with the BP232N/H Li-Ion battery (includes AC adapter and cups installed); 100-240V with Euro style plug	\$510.00
CP22	Cigarette lighter cable with DC-DC converter for use with the BC179 for the A14/S. 12-24V DC input available.	\$69.00
CP23L	12V cigarette lighter cable for use with rapid chargers	\$35.00
MB130	Vehicle charger bracket designed to hold a rapid charger allowing battery to charge in vehicle. Requires charger & CP. Will not work with the BC119N.	\$83.00
<b>Headsets</b>		
PA OPC499	Headset adapter	\$60.00
PTT SW	Avionic PTT switch. Plugs into your headset.	\$28.00

# A14

## VHF Air Band Transceiver

### Accessories

Model	Description	MSRP
<b>Manuals</b>		
94415339	A14/A14S service manual - CD	\$28.97
97715337	A14/A14S service manual hardcopy	\$40.16
98815338	A14/S owner's manual	\$17.12
<b>Microphones</b>		
HM234	Aviation speaker mic (2-pin right angle connector)	\$105.00
<b>Software &amp; Cables</b>		
CSA14	Programming software for the A14/A14S	\$77.00
OPC474	Radio to radio cloning cable (3.5mm to 3.5mm)	\$20.00
OPC478	PC to handheld programming cable with RS-232S connector for radios with 2-pin connectors	\$60.00
OPC478UC	PC to handheld programming cable with USB connector for radios with 2-pin connectors	\$70.00

# A24 / A6

## VHF Air Band Transceiver

### SPECS

---

Frequencies:

Tx (COM)	118.000-136.975MHz
Rx (COM,NAV)	108.000-136.975MHz
(Weather)	161.650-163.275MHz

Output Power: 5.0/1.5W typ. (PEP/CW)

Channels: 200 (20 Channels X 10 banks)

Channel Spacing: 25kHz

Mode: AM (6K00A3E)

WX FM (16K0G3E)

Mil Spec: MIL 810 F

Also meets equivalent MIL-STD-810-C, -D and -E

Weight (approx): 15.2 oz (with BP210N)



### FEATURES

---

Made with the student pilot in mind

700mW loud audio

Compact, light weight and rugged body

Durable Ni-MH battery pack

Side tone function allows you to hear your own voice via a third party aviation headset

LCD backlight for night time operation

ANL (Auto Noise Limiter) for noise reduction

Low battery indication and beep alert

Adjustable microphone gain setting

BNC type antenna connector

### Supplied Accessories

---

Battery pack (BP210N)

Belt clip (MB103)

Wall charger (BC167S)

Antenna (FAB02AR)

Carrying case LC159 (Not included in A6)

Headset adapter (OPC499)

Handstrap

Owner's manual

Warranty: 3-Year



# A24 / A6

## VHF Air Band Transceiver

### Configurations

Model	Description	MSRP
A24 01	Air band 5W handheld transceiver with VOR navigation	\$552.00
A6	Communications only airband 5W handheld with large display	\$475.00

### Accessories

Model	Description	MSRP
<b>Antennas</b>		
ANT SB	Avionic switchbox	\$115.00
FAB02AR	Standard antenna for Aviation handheld radios	\$37.00
<b>Batteries</b>		
BP208N	Battery case that holds 6 AA alkaline batteries.	\$22.00
BP210N	NiMH 7.2V 1650mAh battery	\$75.00
<b>Belt Clips</b>		
MB103	Alligator belt clip	\$12.50
MB86	Swivel belt clip that screws into back of radio	\$11.00
MB96F	Leather belt hanger. Use with standard belt clip.	\$35.00
MB96N	Swivel belt hanger. Use with standard belt clip.	\$37.00
<b>Cables</b>		
OPC515L	DC power cable for single unit rapid chargers	\$26.00
OPC656	DC power cable for BC121N or BC197 gang chargers	\$12.00
<b>Carrying Cases</b>		
LC159	Leather carrying case for the A6/A24	\$43.00
<b>Chargers</b>		
AD101	Adapter cup for the BC119N or BC121N for the BP210N & BP211 batteries	\$28.00
BC145SA 31	AC adapter for BC119N; 100-240V with US style plug	\$25.00
BC157S	AC adapter for the BC121N/BC197 chargers; 100-240V with US style plug	\$120.00
BC157SE	AC adapter for the BC121N/BC197 chargers; 100-240V with Euro style plug	\$126.00
BC167SA	Wall trickle charger; 100-240V with US style plug	\$35.00
BC167SD	Wall trickle charger; 100-240V with Euro style plug	\$40.00
CP20	Cigarette lighter cable with noise filter and DC-DC converter. Charges the BC167 with a 12V/24V cigarette lighter socket.	\$61.00
CP23L	12V cigarette lighter cable for use with rapid chargers	\$35.00
<b>Headsets</b>		
PA OPC499	Headset adapter	\$60.00
PTT SW	Avionic PTT switch. Plugs into your headset.	\$28.00
<b>Manuals</b>		
94414904	A24/A6 CD service manual	\$28.97
97714915	A6/A24 service manual hardcopy	\$38.32
98814945	A24/A6 owner's manual	\$16.73



# A24 / A6

VHF Air Band Transceiver

## Accessories

Model	Description	MSRP
<b>Microphones</b>		
HM234	Aviation speaker mic (2-pin right angle connector)	\$105.00
<b>Software &amp; Cables</b>		
CSA24	A24 Cloning Software	\$65.00
OPC474	Radio to radio cloning cable (3.5mm to 3.5mm)	\$20.00
OPC478	PC to handheld programming cable with RS-232S connector for radios with 2-pin connectors	\$60.00
OPC478UC	PC to handheld programming cable with USB connector for radios with 2-pin connectors	\$70.00

# A25

## VHF Air Band Transceiver

### SPECS

---

#### Frequencies:

Tx (COM)	118.000-136.975MHz
Rx (COM,NAV)	108.000-136.975MHz
(Weather)	161.650-163.275MHz

Output Power: 6W typ. (PEP), 1.8W (CW)

Channels: 200 (20 CH x 10 banks)

Channel Spacing: 8.33/25KHz

Mode: 6K00A3E, 5K60A3E

(Weather) 16K0G3E

Waterproof: IP57 dust-protection and waterproof

Mil Spec: MIL 810 G

Also meets equivalent MIL-STD-810-C, -D, -E and -F

Weight (approx): 12.0 oz

Versions: Communications plus navigation  
Communications only



### FEATURES

---

#### General Features:

Easy to use interface with full keypad

2.3" LCD

Night mode option

"Flip-flop" channel recall

Smart battery with detailed battery status

121.5MHz emergency key

Weather channels

Priority watch

VFO scan, memory-channel scan, priority scan

#### Navigation Features:

Built-in Bluetooth® for hands-free operation

Built-in GPS with waypoint NAV

Store up to 10 flight plans and 300 waypoints

Flight plans with Android™/iOS™ app

- Create flight plan

- Set Direct-to Nav

- Display flight information

- Display waypoint information

VOR navigation functions

- CDI (course deviation indicator)

- OBS (omni bearing selector)

- TO-FROM indicator

- ABSS (automatic bearing set system)

Near station function assists in accessing nearby ground stations

### Supplied Accessories

---

Antenna (FAB02AR)

Battery pack (BP288)

Battery case (BP289)

Belt clip (MB133)

Headset adapter (OPC2379)

Rapid charger (BC224 + BC123SA)

Handstrap

Owner's manual

Warranty: 3-Year

# A25

## VHF Air Band Transceiver

### Configurations

Model	Description	MSRP
A25C	Communications only aviation handheld 6W	\$715.00
A25N	Communications plus navigation aviation handheld 6W	\$870.00

### Accessories

Model	Description	MSRP
<b>Antennas</b>		
FAB02AR	Standard antenna for Aviation handheld radios	\$37.00
<b>Batteries</b>		
BP288	2350mAh li-ion 7.2V battery; IP57	\$145.00
BP289	Battery case 6 x AA; IP54	\$50.00
<b>Belt Clips</b>		
MB133	Alligator type belt clip	\$17.00
MB96F	Leather belt hanger. Use with standard belt clip.	\$35.00
MB96N	Swivel belt hanger. Use with standard belt clip.	\$37.00
<b>Chargers</b>		
BC123SA 51	AC adapter for rapid chargers; 100-240V with US style plug	\$25.00
BC123SE	AC adapter for rapid chargers; 100-240V with Euro style plug	\$26.00
BC224	Rapid charger with BC123SA	\$65.00
BC224E	Rapid charger with BC123SE (Euro plug)	\$65.00
CP20	Cigarette lighter cable with noise filter and DC-DC converter. Charges the BC167 with a 12V/24V cigarette lighter socket.	\$61.00
MB130	Vehicle charger bracket designed to hold a rapid charger allowing battery to charge in vehicle. Requires charger & CP. Will not work with the BC119N.	\$83.00
<b>Headsets</b>		
VS3	Bluetooth pendant earpiece microphone w/PTT	\$149.00
<b>Microphones</b>		
HM231	Waterproof speaker microphone (A25)	\$105.00
<b>Software &amp; Cables</b>		
CSA25	A25 programming software	\$85.00
OPC478UC	PC to handheld programming cable with USB connector for radios with 2-pin connectors	\$70.00

## Mobiles / Panel Mounts



# A120

## VHF Air Band Transceiver

### SPECS

Frequencies:	118.000-136.992MHz
Output Power:	36W typ. (P.E.P.)
Channels:	200 with 12 character channel names
Channel Spacing:	8.33/25kHz
LCD Display:	Dot-matrix with alphanumeric icons & characters
Waterproofing:	IP54 dust protection & water resistant
Mil Spec:	810 C, D, E, F, G
Weight (approx):	3 lb 3 oz



### FEATURES

- Active Noise Cancelling (ANC) reduces background noises
- Optional Bluetooth® board to connect to Bluetooth® headsets
- Program channels from the front panel
- ON-hook scan
- Dual watch
- Side tone function
- Dual watch and priority scan functions
- Compatible with both 12V and 24V systems
- Power on password protection
- CI-V commands for external control
- Connect with other radio devices with the VEPG3 RoIP gateway

### COMES WITH

- Hand microphone (HM216)
- DC power cable
- Mounting bracket
- Microphone hanger kit
- Fuses
- Owner's manual
- Warranty: 2-Year



# A120

## VHF Air Band Transceiver

### Configurations

Model	Description	MSRP
A120	Airband mobile with 200 channels with open VFO, 8.33/25kHz	\$1,585.00
A120B	A120 with 120V power supply and cabinet for base station	\$1,825.00
A120BE	A120 with 220V power supply and cabinet for base station	\$1,860.00

### Accessories

Model	Description	MSRP
<b>Antennas</b>		
ANT SB	Avionic switchbox	\$115.00
B ANT	Base station antenna 118.8-126.8MHz with 50' 4" cable for Avionic mobile units.	\$365.00
K220A	Aviation mobile antenna with a magnetic mount	\$75.00
K220C	Aviation mobile antenna with a rooftop hole mount	\$60.00
<b>Cables</b>		
OPC2275	5m audio connection cable between the VEPG3 and the F5061/D series or A120 (RJ-45 modular plug connector with speaker plug).	\$150.00
OPC344	A110/A120 power cord	\$16.00
<b>Encryption &amp; Internal Modules</b>		
UT133	Bluetooth unit	\$99.00
<b>External Speakers</b>		
SP30	20W large external speaker	\$110.00
SP35	5W external speaker with 3.5mm speaker jack and 2m cable	\$60.00
<b>Headsets</b>		
OPC871A	Headset adapter A120/A110	\$154.00
PTT SW	Avionic PTT switch. Plugs into your headset.	\$28.00
VS3	Bluetooth pendant earpiece microphone w/PTT	\$149.00
<b>Microphones</b>		
HM216	Standard microphone for A120	\$47.00
HM217	Microphone with built-in speaker and front panel includes up/down buttons and two programmable buttons (P1/P2)	\$100.00
SM26	Desktop microphone with monitor switch for mobile radios	\$90.00
<b>Miscellaneous</b>		
VEPG3	ROIP gateway	\$1,900.00
<b>Mounting Hardware</b>		
MB99A	Wall mounting bracket VEPG3/IP1000C	\$65.00
<b>Power Supplies</b>		
ICT ICO11	120V power supply and cabinet for base station use for A120	\$200.00
ICT ICO11 220V	220V power supply and cabinet for control station use for A120	\$230.00
<b>Software &amp; Cables</b>		
CSA120	Programming software A120	\$90.00
OPC478UC	PC to handheld programming cable with USB connector for radios with 2-pin connectors	\$70.00
OPC592	Programming cloning cable for PC to radio (must use with OPC-478/UC)	\$17.00

# A120

VHF Air Band Transceiver

# A220

## VHF Air Band Transceiver

### SPECS

---

#### Frequencies:

TX/RX 8.33kHz	118.000-136.992MHz
25kHz	118.000-136.975MHz
RX Weather channel	161.650-163.275MHz

Frequency spacing: 8.33kHz/25kHz

Output Power: 8W typical (carrier power)

Channels: 20 regular memory  
50 (10 Ch x 5 groups) group memory  
10 GPS, 10 weather  
10 auto stack memory

Display: Organic light emitting diode (OLED)

Mil Spec: 810 C, D, E & F

Scan: VFO

Weight (approx): 2.2 lb

Versions: Radio without TSO approval  
Radio with TSO approval



### FEATURES

---

TSO version meets RTCA-160G requirements for use in strict environments. The A220T can be used for a primary VHF radio in general aviation (part 23) class aircraft and is accepted for ETSO approval under the TSO/ETSO reciprocal acceptance policy.

Automatic squelch function

White OLED display with white key backlight

Easy channel selection

GPS memory function\*

12V/24V DC power source

Intercom functions

D-sub 25-pin industry standard connector for easy installation

Two types of menu mode: setting menu and configuration menu

One touch access to 121.5MHz emergency frequency

Side tone function for monitoring your voice with headset

ANL (Automatic noise limiter) function reduces pulse type noise

Remote control capability

Time-out-timer

PC programming capability\*

Dial lock and panel lock\*

Dual watch and priority watch functions

\*Excludes TSO version

### COMES WITH

---

Mounting bracket kit

Owner's manual

Warranty: 2-Year



# A220

## VHF Air Band Transceiver

### Configurations

Model	Description	MSRP
A220	Panel mount aviation radio	\$2,150.00
A220B	Radio with PS80 04 power supply for base station option	\$3,630.00
A220M	Radio with MB-53 for mobile mount	\$2,680.00
A220T	TSO approved panel mount aviation radio	\$2,800.00

### Accessories

Model	Description	MSRP
<b>Antennas</b>		
B ANT	Base station antenna 118.8-126.8MHz with 50' 4" cable for Avionic mobile units.	\$365.00
K220A	Aviation mobile antenna with a magnetic mount	\$75.00
K220C	Aviation mobile antenna with a rooftop hole mount	\$60.00
<b>Cables</b>		
OPC1529R	Data cable (RS232 to 3.5mm)	\$41.00
<b>External Speakers</b>		
SP35	5W external speaker with 3.5mm speaker jack and 2m cable	\$60.00
<b>Microphones</b>		
HM176	Microphone for the A220/A210/A200/PS80	\$185.00
<b>Mounting Hardware</b>		
A200 TRAY	Mounting tray for A200/A210/A220	\$65.00
MB53	Mobile mounting bracket that includes HM176 microphone, SP35 external speaker, MBA-3 rear panel adapter, and harness for A200/A210/A220	\$500.00
MBA3	Rear panel adapter with a card edge connector for the A220	\$105.00
<b>Power Supplies</b>		
INSTALLATION AVIONICS	Install radio into power supply	\$0.00
PS80	Power supply that includes the HM-176 & MBA-3 for A220/A210/A200	\$1,245.00
<b>Software &amp; Cables</b>		
CSA220	Programming software A220	\$90.00

# Fixed Comms Infrastructure



# VE-PG3

## RoIP Gateway

### SPECS

---

Power Supply: 12V DC +/- 10%, max 1.1A  
Weight: 1.76lb

#### Interface

LAN/WAN: RJ-45 connectors x 2  
Ethernet Speed: 10BASE-T/100BASE-TX  
Telephone Set: RJ-11 connector x 1  
Telephone Line: RJ-11 connector x 2  
Repeater/Radio: Quick connector x 4  
I/O or external equipment: Quick connector x 2  
USB: Standard A x 2



### FEATURES

---

#### Converter Mode

- Interconnect between IP phone, analog phone and radio networks
- Phone calls can be initiated by radio users

#### Bridge Mode:

- Site-to-site radio communication over an IP network
- Site-to-multisite radio communication
- Cross band, cross category connection

#### Common Features:

- Optional RC-FS10 software for virtual PC dispatch station
- Public address, siren, warning light and external equipment connections (IDAS only)

### WARRANTY

---

1-Year

### Comes With

---

AC adapter

## Configurations

Model	Description	MSRP
VEPG3	ROIP gateway	\$1,900.00

## Accessories

Model	Description	MSRP
EXTWARR811	1 year extended warranty	\$65.00
EXTWARR812	2 year extended warranty	\$93.00
EXTWARR813	3 year extended warranty	\$130.00

### **Cables**

OPC2273	5m audio connection cable between the VEPG3 and the M604A (Waterproof 8-pin connector).	\$150.00
OPC2274	5m audio connection cable between the VEPG3 and the FR5000 series (D-SUB 25-pin connector). For use only with systems that do not utilize tones or RAN's for squelching.	\$235.00
OPC2275	5m audio connection cable between the VEPG3 and the F5061/D series or A120 (RJ-45 modular plug connector with speaker plug).	\$150.00

### **Chargers**

BC207S	12V / 3.5A AC adapter for VEPG3/IP1000C	\$85.00
--------	-----------------------------------------	---------

### **Miscellaneous**

CT24	Digital voice converter (supplied with RCFS10 and works with VEPG3)	\$1,200.00
------	---------------------------------------------------------------------	------------

### **Mounting Hardware**

MB VP3	Rack mounting shelf for VEPG3/IP1000C	\$100.00
MB99A	Wall mounting bracket VEPG3/IP1000C	\$65.00

### **Remote Communication**

RCFS10	Remote Communicator software + CT-24 (digital voice converter unit - each IDAS system requires 1 CT-24)	\$1,820.00
--------	---------------------------------------------------------------------------------------------------------	------------

# X-BAND Air Repeater

Cross Band Airband AM/VHF FM or Airband AM/UHF FM

## SPECS

---

Frequencies:	AV + 136-174MHz AV +, 400-470MHz
Output Power:	50W (VHF), 45W (UHF)
Channels:	128 channels, 8 zones
Channel Spacing:	UHF: 12.5kHz Airband: 25kHz/8.33kHz
PLL Channel Spacing:	2.5, 3.125kHz
Display:	LCD with 8 character alphanumeric



## FEATURES

---

- Full UHF & VHF analog & Airband AM interoperability
- Configured to auto switch from AC to DC
- Local controlled operation, can be used as a dual base unit
- Programmable actions when a matched tone is received:
  - Bell icon indication ON / OFF / Blink
  - Answer back calls
  - Beep sounds
  - Scan Start / Stop
  - Auto transmission
  - Stun / Kill functions (prevents use of a lost or stolen)
- 10 scanning lists and Normal / Priority scan
- Power ON password

## SIGNALING

---

- CTCSS/DTCS decode
- 2/5 Tone
- MDC1200

## WARRANTY

---

- Radios: 2 years
- Parts: 1 year

## Configurations

Model	Description	MSRP
IAS X-BAND 50 AIR U	Airband AM & UHF FM cross band repeater	\$3,330.00
IAS X-BAND 50 AIR V	Airband AM & VHF FM cross band repeater	\$3,330.00

## Accessories

Model	Description	MSRP
EXTWARRPT1	1 year extended warranty for a total 3 years	\$180.00
EXTWARRPT2	2 year extended warranty for a total 4 years	\$325.00
EXTWARRPT3	3 year extended warranty for a total 5 years	\$465.00

### **Cabinets**

IASMNT1030	30" (17RU) locking indoor cabinet	\$1,165.00
IASMNT1046	46" (26RU) locking indoor cabinet	\$2,280.00
IASMNT1060	60" (34RU) locking indoor cabinet	\$3,190.00

### **Racks**

IASMNT1028	28x19, 16U desktop 2-post rack; 350lb weight capacity	\$395.00
IASMNT1042	42x19 welded steel 2-post rack; 24U, 1,500lb weight capacity	\$750.00
IASMNT1063	63x19 welded steel 2-post rack; 63U, 1,500lb weight capacity	\$995.00
IASMNT1070	42x19 welded steel 2-post rack; 24U, 1,500lb weight capacity	\$1,025.00

### **Software & Cables**

CSF3021/F5021/F5011	F3021/5021/5011 series programming software	\$72.00
OPC1122	PC to mobile radio programming cloning cable with RC-232S connector	\$99.00
OPC1122U	PC to mobile radio programming cloning cable with USB connector.	\$99.00
PROG-IAS	Icom to program your system products	\$0.00



U.S. Avionics Retail  
**Product & Price Catalog**

**Call 800-USA-ICOM**

For the latest price pages or visit  
Icom's Business-to-Business site at:  
**<https://dealers.icomamerica.com>**

Icom America Inc.